

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"20020174100"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/02/16 10:14
S2	15	"5900871".pn. or "5907326".pn. or "5551055".pn. or "5675818".pn. or "5072386".pn. or "5231581".pn. or "5070456".pn. or "5198978".pn. or "5077669".pn. or "5195034".pn. or "4595980".pn. or "5734597".pn. or "5835768".pn. or "5787452".pn. or "6138086".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/02/16 15:14
S3	1	"20030179225"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/17 16:43
S4	23	(locale or cultur\$7) and (collation with (information or key)) and (@ad<"20010518")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/07/19 18:05
S5	221	(locale or cultur\$7) and (((collation or locale or cultur\$7) with (information or key)) same (sort\$3 or order\$3 or arrang\$3)) and (@ad<"20010518")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/17 17:10
S6	40	(locale or cultur\$7) and (((collation or locale or cultur\$7) with key) same (sort\$3 or order\$3 or arrang\$3)) and (@ad<"20010518")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/04/17 17:53
S7	16	(locale or cultur\$7) and ((creat\$3 or generat\$3) with (collation or locale or cultur\$7) with key) and (@ad<"20010518")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/07/14 12:23
S8	440	(locale or cultur\$7) and ((collation or locale or cultur\$7) with key) and (@ad<"20010518")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/07/14 12:24
S9	9	(locale or cultur\$7) and (((collation or locale or cultur\$7) with key) with sort\$3) and (@ad<"20010518")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/07/20 13:51
S10	1	(language\$9 with sensitive with sort\$3) and (@ad<"20010518")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/07/14 12:49
S11	0	(language\$9 with sensitive with sort\$3) and key and (@ad<"20010518")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/07/14 12:51

S12	8	"5274805".pn. or "5287494".pn. or "5355478".pn. or "5414842".pn. or "5680607".pn. or "5765167".pn. or "5799309".pn. or "5924091".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/07/14 17:02
S13	15	"5900871".pn. or "5907326".pn. or "5551055".pn. or "5675818".pn. or "5072386".pn. or "5231581".pn. or "5070456".pn. or "5198978".pn. or "5077669".pn. or "5195034".pn. or "4595980".pn. or "5734597".pn. or "5835768".pn. or "5787452".pn. or "6138086".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/07/14 17:04
S14	1	"20020174100" and (culturally adj correct adj collation adj key)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/02/13 14:11
S15	520	(sort\$3 with comparator) and (@ad<"20010518")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/07/19 18:07
S16	47	(sort\$3 with using with comparator) and (@ad<"20010518")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/07/19 18:07
S17	51	((distributed with (system or comput\$3 or environment or network)) same (improve with process\$3 with (speed or time))) and (@ad<"20010518")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/07/19 18:38
S18	70	((distributed with (system or comput\$3 or environment or network)) same ((improve or fast or short\$3 or less) with process\$3 with (speed or time))) and (@ad<"20010518") and ("707"/\$.ccls. or "709"/\$.ccls.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/07/19 18:46
S19	52	((distributed with (system or comput\$3 or environment or network)) same ((improve or fast or short\$3 or less) with process\$3 with (speed or time))) and (@ad<"20010518") and (distributed).ti.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/07/20 13:06
S20	0	(cultural\$3 with collation with key) and (@ad<"20010518")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/07/20 13:52
S24	1	"20030179225"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/02/13 13:58
S25	1	"5613122".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/02/13 13:58

S26	1	"20020174100" and cultur\$5 and collat\$5 and key	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/02/13 14:26
S27	2	"20020091691" or "6738769".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/02/13 14:26
S28	9	((collation with key) same sort\$3 and (@ad<"20010518"))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/02/14 13:19
S29	72	(key with (contain\$5 or compris\$3 or includ\$3 or determin\$3) with (locale\$3 or cultur\$6)) and (@ad<"20010518"))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/02/15 14:21
S30	9	(key with (contain\$5 or compris\$3 or includ\$3 or determin\$3) with (locale\$3 or cultur\$6)) and (key with (sort\$3 or arrang\$3 or order\$3)) and (@ad<"20010518"))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/02/16 17:19
S31	1	"6496793".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/02/16 14:54
S32	8	("5900871".pn. or "5907326".pn. or "5551055".pn. or "5675818".pn. or "5072386".pn. or "5231581".pn. or "5070456".pn. or "5198978".pn. or "5077669".pn. or "5195034".pn. or "4595980".pn. or "5734597".pn. or "5835768".pn. or "5787452".pn. or "6138086".pn.) and locale	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/02/16 15:16
S33	6	("5900871".pn. or "5907326".pn. or "5551055".pn. or "5675818".pn. or "5072386".pn. or "5231581".pn. or "5070456".pn. or "5198978".pn. or "5077669".pn. or "5195034".pn. or "4595980".pn. or "5734597".pn. or "5835768".pn. or "5787452".pn. or "6138086".pn.) and collat\$5	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/02/16 15:16
S34	11	((collat\$3 with key) same (cultur\$5 or locale)) and (@ad<"20010518"))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/02/16 17:20
S35	2	"20030179225" or "5613122".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/02/16 18:09
S36	3	"6701428".pn. "20020184308" "20020162093"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/02/16 18:14

S37	52	"669022" "9415284" "1100004" "668558" "5664206".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:18
-----	----	--	---	----	----	------------------